HS MEDI WORLD

AN ISO 9001:2015 CERTIFIED CO.

PRODUCT CATALOGUE



www.hsmediworld.co.in
www.hsmediworld.in

HS MEDI WORLD



ABOUT US

Established in the year 2004, at Ludhiana (Punjab, India), we, "HS Medi World", are recognized among the notable manufacturer and supplier of a broad assortment of Dustbin & Foot Operated Litter Bin. The offered range products are precisely manufactured under the supervision of a skilled team of personnel making use of high grade raw material & innovative techniques in total conformity with the set universal standards. These products are highly acknowledged for their less maintenance, reliability, robustness and long service life. The complete range of products provided by us is manufactured in strict compliance with the set international quality norms.

We are supported by a “state-of-the-art” infrastructure unit, which is well-installed by carefully selected modern & sophisticated machinery & equipment. Our well segregated infrastructure unit helps us in conducting the total operation in an effective way. In addition to this, to perfectly manage every process from production to the dispatch, we have hired an adept team of personnel. Our team has assisted us to carve a niche & gain a huge expertise in this sphere with its meticulous endeavors. We offer these products in a stipulated time frame therefore. Further, we accept orders for any quantity and meet the needs of the clients in committed time frame. The technological advancement facility assists us to enhance our production rate. In addition to this, our R&D department makes us capable to adopt new & more economical methods in order to develop our offered products and to offer a flawless range to our cherished customers.

Under the visionary guidance & leadership of, **“Mr. Parvinder Singh”**, (Managing Director) we have reached the uttermost position in the industry. His strong business acumen & vast industry experience enable us to garner a wide client base across the nation.

We are an ISO 9001:2015 Certified Company.

TABLE OF CONTENTS

	PAGE NO.
HOSPITAL BED	05 To 14
HOSPITAL BED ACCESSORIES	15 To 29
PATIENT STRUCTURE & EMERGENCY TROLLEY	30 To 32
EXAMINATION TABLE & GYNAE TABLE	33 To 36
DARMA CHAIR	37 - 38
BED SIDE LOCKER	39 - 40
CRASH CART / EMERGENCY TROLLEY	41 To 44
WARD TROLLEY	45 To 51
SCRUB SHINK	52 To 57
ECG TROLLEY / TABLES	58 To 62
BIO MEDICAL WASTE DUSTBIN	63 To 68
B.M.W. SEGREGATION TROLLEY	69 - 74
B.M.W. COLLECTION TROLLEY	75 - 76
SHARP CONTAINERS & NEEDLE CUTTER	77 - 79

TABLE OF CONTENTS

PAGE NO.

B.M.W. COLLECTION BAGS & PATIENT BAND	80
MOP WRINGER TROLLEY	81 To 83
SAFETY EQUIPMENTS & OTHER WARD ITEMS	84 To 89
OPERATING SURGICAL TABLE	90 To 93
LED SURGICAL O.T. LIGHTS	94 To 101
MANUAL WHEEL CHAIRS	102 To 104
ELECTRIC WHEEL CHAIRS	105 - 106
HYPODROP	107 - 108
O.T. EQUIPMENTS	109 To 118
PATIENT MONITOR	119 To 121
VISITOR CHAIRS	122 - 123
ANAESTHESIA & BABY WARMER	124 To 129
HOSPITAL LAUNDRY EQUIPMENTS	130
HEAVY DUTY INDUSTRIAL STORAGE RACK	131

HOSPITAL BEDS : - SEMI FOWLER

HS
01



- Mattress area divided into 2 sections made up of CRCA Sheet.
- Detachable head and foot bows provide a soothing look.
- Major Features are maneuverable by smooth crank mechanism with
- Separate folding SS Handles.
- The complete metal components are Pretreated and PU Coated

SEMI FOWLER BED WITH MS PANEL



HS
02

SEMI FOWLER BED WITH ABS PANEL

Mattress area divided into 2 sections made up of CRCA Sheet.
Detachable head and foot bows provide a soothing look.
Major Features are maneuverable by smooth crank mechanism with
separate folding SS Handles.
The complete metal components are Pretreated and PU coated

HOSPITAL BEDS : - SEMI FOWLER & FOWLER



HS
03

SEMI FOWLER BED WITH ABS PANEL AND COLLEPSIBLE RAILING WITH WHEELS



HS
04

FOWLER BED WITH ABS SHEET AND ABS PANEL

HOSPITAL FURNITURE : - FOWLER BED



HS 05

FOWLER BED WITH ABS PANEL WITH WHEELS



HS 06

FOWLER BED WITH ABS PANEL WITH COLLESPIBLE RAILING & WHEELS

HOSPITAL BEDS : - SEMI FOWLER



HS
07

SEMI FOWLER BED WITH ABS PANEL



HS
08

SEMI FOWLER BED WITH ABS PANEL, ABS RAILING WITH WHEELS

ELECTRIC BEDS : - SEMI FOWLER & FOWLER



HS 09

ELECTRIC SEMI FOWLER BED WITH ABS PANEL WITH COLLEPSBLE RAILING & WHEELS



HS 10

ELECTRIC FOWLER BED WITH ABS RAILING WITH WHEELS

- Mattress area divided into 4 sections made up of CRCA Sheet.
- Detachable Polymer Molded head and foot bows provide a soothing look.
- Provided with four sectional polymer molded safety side rails with angle indicators.
- Major Features are maneuverable by smooth crank mechanism with separate folding SS Handles.
- Provided with Single wheel heavy duty Diagonal Locking Castors Wheels of 125 mm dia for smooth mobility with control.
- The complete metal components are Pretreated and PUcoated.

HOSPITAL BEDS : - 3 FUNCTION MANUAL

HS 11



3 FUNCTION ICU BED HIGH-LOW MECHNICAL WITH ABS RAILING MSR 1 & WHEELS

HS 12



3 FUNCTION ICU BED HIGH-LOW MECHNICAL WITH ABS RAILING MSR 3 & WHEELS

HOSPITAL BEDS : - 3 FUNCTION



HS
13

Electric 3 Function ICU Bed High-low with ABS Railing MSR 1 & 5" Wheels

HOSPITAL BEDS : - 5 FUNCTION

HS
14



ELECTRIC 5 FUNCTION ICU BED HIGH-LOW MECHNICAL WITH ABS RAILING MSR 1 & 5" WHEELS



HS
15

ELECTRIC 5 FUNCTION ICU BED HIGH-LOW MECHNICAL WITH ABS PANEL , ABS RAILING & 5" WHEELS

ATTENDENT BED



HS
16

HOSPITAL ATTENDANT BED

L 72" X W 24" X H 18"



HS
17

L 72" X W 35.4" X H 22"

HOSPITAL BED PLAIN

ATTENDENT BED



HS 18

HOSPITAL ATTENDANT BED WITH MATTRESS

L 72" X W 24" X H 18"



HS 19

PHYSIOTHERAPY STANDING CUM TILT BED

HOSPITAL BED :- ABS PANELS



HS 24



M1 :- ABS PANEL



HS 25



M2 :- ABS PANEL





HS 27

HS 26




M3 :- ABS PANEL



M4 :- ABS PANEL


HOSPITAL BED :- ABS PANELS





HS 29

HS 28





M5 :- ABS PANEL

M6 :- ABS PANEL





HS 31

HS 30





M7 :- ABS PANEL

M8 :- ABS PANEL

HOSPITAL BED :- ABS PANELS





HS 33

HS 32





M9 :- ABS PANELS

M10 :- ABS PANELS





HS 34




HS 22


M11 :- ABS PANELS

NEW MODEL ABS PANEL


HOSPITAL BED :- ABS RAILINGS




HS 35



HS 36




MSR 1 :- ABS RAILING




MSR 2 :- ABS RAILING



HS 37



MSR 3 :- ABS RAILING




HS 38



MSR 4:- ABS RAILING

HOSPITAL BED :- ABS RAILINGS



HS 39


MSR 5 :- ABS RAILING



HS 40



MSR 6 :- ABS RAILING





HS 41

MSR 7 :- ABS RAILING





HS 42

MSR 8 :- ABS RAILING

HOSPITAL ACCESSORIES :- WHEELS



HS 43

ADJUSTER



HS 44

WHEEL 2"



HS 45

2" CROME BLACK WHEEL



HS 46

3" CROME BLACK WHEEL



HS 47

3" SIDE COVER PILLER



HS 48

4" CROME BLACK WHEEL

HOSPITAL ACCESSORIES :- WHEELS



HS 49

4" SIDE COVER WHEEL



HS 50

4" TWIN WHEEL



HS 51

5'"ABS SIDE COVER WITH 3 BERRINGS



HS 52

5" TWIN PU CUSTOR WHEELS



HS 53

5' NYLON BODY CASTOR WITH MRI COMPATIBLE



HS 54

5" TWIN CENTRE LOCK CASTOR WHEEL

HOSPITAL ACCESSORIES :- WHEELS

HS 55



6" POWDER COATED RUBBER WHEEL



HS 56

6" POWDER COATED PU WHEEL

HS 57



6' HEAVY DUTY RUBBER WHEEL



HS 58


8" WHEEL CHAIR FRONT WHEEL

HOSPITAL ACCESSORIES :- BED RAILINGS

HS 59



MILD STEEL RAILING



HS 60

STAINLESS STEEL RAILING

HS 61



COLLEPSIBLE RAILING (IMPORTED)



HS 62

COLLEPSIBLE RAILING (INDIAN)

HOSPITAL ACCESSORIES :- BED RAILINGS



HS 63

COLLEPSIBLE SIDE RAILING (BLUE)



HS 64

COLLEPSIBLE SIDE RAILING (ORANGE)



HS 65

COLLEPSIBLE SIDE RAILING (GREY)



HS 66

PIPE CAPS



HS 67

5" BUFFER



HS 68

STAR KNOBS ANY THRED SIZE



HS 69

4" BUFFER



HS 70

I.V. KNOB



HS 71

WHEEL CHAIR BREAKS



IV HOOK 4

HS 72



PANEL BUSH

HS 73



WHEEL BUSH

HS 74



HS 75

IV HOOK 2



IV ROD

HS 76



I V Rod Bush

HS 77





IV STAND

HS 78



HS
79

WHEEL CHAIR FOOTREST ALUMUNIUM



HS
80

Crenk Screw



HS
81

Bed Crank

HOSPITAL ACCESSORIES :- CHAIR STANDS

HS 82



IV STAND BASE



HS 1610

HS 83

HS 84



HS 517



HS 557

HS 85



HS 555


HS 86



HS 553

HS 87

HOSPITAL ACCESSORIES :- BED MATTRESS



HS 88

PLAIN MATTRESS



HS 89

SEMI FOWLER MATTRESS



HS 90

FOWLER MATTRESS

PATIENT STRETCHER



HS 91

Patient Stretcher

- Frame structure is made of CRCA Tubes
- Mild steel tubular framework mounted on four swivel Heavy Duty castors, 150 mm (6”) diameter two with brakes & two without brakes
- Removable stretcher top made of CRCA Sheet.
- Pre-treated and powder coated finish

HS 92



- Frame structure is made of CRCA Tubes
- Mild steel tubular framework mounted on four swivel Heavy Duty castors, 150 mm (6”) diameter two with brakes & two without brakes
- Removable stretcher top in two sections made of pre-laminated board supported on tubular frame
- Provided with Backrest on ratchet
- Provided with SS Swing Down type Safety side rails
- Oxygen cylinder cage & M.S. storage tray
- Pre-treated and powder coated finish

Patient Strectheer MS Head up with MS Railing, Cylinderstand Wheels 6" & mattress

PATIENT STRETCHER



HS
93

PATIENT STRECTURE ADJUSTABLE HEAD & FOOT



HS
94

EMERGENCY STRETCHER

HOSPITAL BEDS :- PATIENT STRETCHER



HS 95

PATIENT STRECTHEER SS HEAD UP WITH SS RAILING, CYLINDERSTAND WHEELS 6" & MATTRESS



HS 96

PATIENT STRETCHER MS WITH MS RAILING, CYLINDERSTAND & WHEEL 6"

HOSPITAL EXAMINATION TABLE



HS
97

EXAMINATION TABLE SIMPLE



HS
98

EXAMINATION TABLE GYNAE

HOSPITAL EXAMINATION TABLE



HS 99

EXAMINATION TABLE WITH DRAWERS & MATTRESS

HS 100



- MADE OF CRCA SHEETS.
- BACK REST ADJUSTABLE WITH PNEUMATIC PUMP.
- PADDED WITH FOAM TOP IN HIGH QUALITY WASHABLE REXENE.
- PROVIDED WITH THREE DRAWERS AND THREE UTILITY CABINET.
- PROVIDED WITH FOLDABLE BP APPARATUS TRAY ON THE SIDE.
- PROVIDED WITH INBUILT FOOT STEP.
- PROVISION OF SALINE STAND.
- THE COMPLETE METAL COMPONENT IS PRETREATED AND PU COATED

EXAMINATION TABLE WITH DRAWERS & MATTRESS

HOSPITAL EXAMINATION TABLE



HS
101

EXAMINATION TABLE GYNAE WITH DRAWERS



HS
102

EXAMINATION TABLE WITH DRAWERS

HOSPITAL EXAMINATION TABLE



HS 103

NEUROTHERPY BED

Overall Size: 2 ft. x 6 ft

- **Frame:** Heavy-duty steel frame, powder-coated finish for durability
- **Sections:** Two-section design
- Flat section for body support
- Head section with circular face hole for patient comfort during therapy
- **Shelves:** Two lower storage shelves integrated into the frame for keeping instruments or supplies
- **Padding:** Cushioned top with medium-density foam for patient comfort
- **Upholstery:** Black, easy-to-clean, medical-grade synthetic leather
- **Height:** Fixed height (non-adjustable) – suitable for manual therapy and examination
- **Load Capacity:** Designed to support average adult weight safely (approx. 120–150 kg)

Use Cases:

- Neurotherapy procedures
- Physiotherapy sessions
- Massage and relaxation therapy
- General clinical examination

DARMA CHAIR



HS 104

Darma chair

HS 105



- **Size**: 70L x 22W x 20–24H Inch
- **Loading Capacity**: 200 kgs
- **General Use**: Commercial Furniture
- **Material**: Synthetic Leather, PVC/PU
- **Leather Composition**: Sponge, Wood, Metal
- **Color**: Various Colours Available
- **Usage**: Salon Furniture, Cosmetic Bed

Darma chair

DARMA CHAIR

HS 106



Automatic derma Chair Specification

- SIZE: 78L*22B*25-35H Inch
- MATERIAL: Synthetic Leather, PVC/PU Leather, Sponge
- LOADING CAPACITY: 200kg
- Remote: Provided
- Motor: 3 Motors
- Pillow: Separate
- COLOUR: Various Colours Available
- USAGE: Hair Transplant, Skin treatment, Skin Cosmotology Derma
- WARRANTY: 2 Years Motor warranty

Darma Chair

HS 107



Darma chair

BED SIDE LOCKER



HS 108

Standard Bed Side Locker



HS 109

Standard Bed Side Locker



HS 110

Deluxe Bed Side Locker



HS 111

Open Bed Side Locker SS

BED SIDE LOCKER



HS 112


BED SIDE LOCKER WITH ABS TOP



HS 113

BED SIDE LOCKER WITH ABS TOP (ATTACHED)

CRASH CART / EMERGENCY TROLLEY



HS 114

CRASH CART TROLLEY SINGLE RACK WITHOUT TOP



HS 115

CRASH CART TROLLEY SINGLE RACK WITH TOP

CRASH CART / EMERGENCY TROLLEY





HS 116

CRASH CART TROLLEY STANDARD

- FRAMEWORK IS MADE UP OF CRCA TUBES.
- PROVIDED WITH TWO POLYSTYRENE BOXES EACH WITH THREE LOCKABLE DRAWERS.
- PROVIDED WITH M.S OXYGEN CYLINDER HOLDER.
- SIX COLOR REMOVABLE BINS.
- PROVIDED WITH THREE S.S SHELVES.
- PROVIDED WITH S.S IV ROD, 125 MM CORNER BUFFER AND CARDIAC MASSAGE BOARD.
- THE CART IS MOUNTED ON 125 MM DIA CASTORS WITH DIAGONAL BRAKES.
- ALL METAL COMPONENT IS PRETREATED AND EPOXY POWDER COATED.
- APPROX. DIMENSION: 960 MM L X490 MM W X 1545 MM H.

CRASH CART / EMERGENCY TROLLEY



CRASH CART TROLLEY WITH 18 BINS

HS 117



CRASH CART TROLLEY WITH 12 BINS

HS 118

CRASH CART / EMERGENCY TROLLEY



HS 119

CRASH CART TROLLEY WITH CPR BOARD 5" WHEELS



HS 120

Drug trolley



HS 121

IMPORTED CRASH CART TROLLEY

LAPRO TROLLEY



HS 122

LAPRO CUM MONITOR TROLLEY MILD STEEL



HS 123

LAPRO CUM MONITOR TROLLEY MILD STEEL



HS 124

LAPRO CUM MONITOR TROLLEY MILD STEEL WITH SS RAILING



HS 125

LAPRO CUM MONITOR TROLLEY STAINLESS STEEL

HOSPITAL :- WARD TROLLEY



HS
126

INSTRUMENT TROLLEY
SIZE 18"X 24"



HS
127

INSTRUMENT TROLLEY
SIZE 22""X 36"

HOSPITAL :- WARD TROLLEY



HS 128

LINEN TROLLEY
L 24" x W 18" x H 32"



HS 129



HS 130



LINEN TROLLEY
L 46" x W 18" x H 35"

HS 131

HOSPITAL :- WARD TROLLEY

HS
132



INSTRUMENT TROLLEY SIZE 22"X 48"



HS
133

DRESSING TROLLEY SIZE 24"X 30"

HS
134



DRESSING TROLLEY MILD STEEL SIZE 24"X 30"

HOSPITAL :- WARD TROLLEY



HS
135

MAYO'S TROLLEY SIZE 15"X 24"



HS
136

MAYO'S TROLLEY SIZE 24"X 36"

HOSPITAL :- WARD TROLLEY



HS 137

MAYO'S TROLLEY SIZE 30"X 48"



HS 138

CSSD TROLLEY 24"X36"

HOSPITAL :- WARD TROLLEY



HS
139-A

CSSD TROLLEY22" X 32"



HS
139

CSSD TROLLEY 24"X42"

HOSPITAL :- SCRUB STATION



HS
140

SCRUB STATION 24" WITH SINGLE TAP

HS
141

SCRUB STATION 24" WITH DOUBLE TAP



HOSPITAL :- SCRUB STATION



HS
142

SCRUB STATION 48" DOUBLE TAP WITH FOOT OPRATED



HS
143

SCRUB STATION 48" DOUBLE TAP ELBOW OPRATED

HOSPITAL :- SCRUB STATION



HS
144

SCRUB STATION 24" SENSOR OPRATED WITH FOOT



HS
145

SCRUB STATION 48" SENSOR OPRATED WITH FOOT

HOSPITAL :- SCRUB STATION



HS
146

SCRUB STATION 48" SENSOR OPRATED WITH LED LIGHTS



HS
147

SCRUB STATION 72" SENSOR OPRATED WITH FOOT

HOSPITAL :- SCRUB STATION



HS
148

SCRUB STATION 48" DOUBLE TAB ELBOW OPRATED



HS
149

HANGING SCRUB STATION 48"

HOSPITAL :- SCRUB STATION



HS
150

HANGING SCRUB STATION 24"



HS
151

HANGING SCRUB STATION 36"

HOSPITAL :- WARD TROLLEY

HS
152



ECG TROLLEY STAINLESS STEEL WITH JELLY STAND



HS
153

ECG TROLLEY BLACK STAINLESS STEEL SHEET WITH JELLY STAND

HOSPITAL :- WARD TROLLEY



HS
154

ECG TROLLEY MILD STEEL WITH DRAWER



HS
155

ECG TROLLEY MILD STEEL

HOSPITAL :- WARD TROLLEY



HS
156

OVER BED TROLLEY KNOB OPRATED

HS
157



S S SLIDING PIPE FOR SMOOTH & SCRATCHLESS FUNCTIONING OF COLOUMN

HOSPITAL :- WARD TROLLEY



HS
158

CARDIAC TABLE ABS TOP



HS
159

OVER BED TROLLEY
GEARMATIC WITH ABS TOP

HOSPITAL :- WARD TROLLEY



HS 160

OVER BED TABLE WITH ABS TOP



HS 161

OVER BED TABLE C TYPE WOODEN TOP

BIO MEDICAL WASTE DUSTBIN



HS 162

HEAVY PLASTIC PEDAL DUSTBIN 12 LTR



HS 163

HEAVY PLASTIC PEDAL DUSTBIN 16 LTR

BIO MEDICAL WASTE DUSTBIN



HEAVY PLASTIC PEDAL DUSTBIN
22 LTR

HS 164



HS 165

HEAVY PLASTIC PEDAL DUSTBIN
32 LTR

BIO MEDICAL WASTE DUSTBIN



HS
166

HEAVY PLASTIC PEDAL DUSTBIN
36 LTR



HS
167

HEAVY PLASTIC PEDAL DUSTBIN
45 LTR

BIO MEDICAL WASTE DUSTBIN



HS
168



HEAVY PLASTIC PEDAL DUSTBIN
60 LTR

BIO MEDICAL WASTE DUSTBIN



HS
169

HEAVY PLASTIC PEDAL DUSTBIN
65 LTR WITH WHEELS



HS
170

HEAVY PLASTIC PEDAL DUSTBIN
120 LTR WITH WHEELS

BIO MEDICAL WASTE DUSTBIN



HS
171

BIO MEDICAL WASTE DUSTBIN
660 LTR.





HS
172

STAND ALONE DUSTBIN WITH FRAME

BIO MEDICAL WASTE SEGREGATION TROLLEY



HS 173

WASTE SEGREGATION TROLLY 12 LTR



HS 174

WASTE SEGREGATION TROLLY 16LTR

BIO MEDICAL WASTE SEGREGATION TROLLEY



HS 175

SEGREGATION WASTE TROLLY
22 LTR



HS 176

SEGREGATION WASTE TROLLY
32 LTR

BIO MEDICAL WASTE SEGREGATION TROLLEY



HS 177

SEGRATION WASTE TROLLY
36 LTR 4BIN



HS 178

SEGRATION WASTE TROLLY
45 LTR 4BIN



HS 179

WASTE SEGRATION TROLLY
60 LTR

BIO MEDICAL WASTE SEGREGATION TROLLEY



HS 180

BIO MEDICAL WASTE SEGRATION TROLLY 36 LTR



HS 181

BIO MEDICAL WASTE SEGRATION TROLLY 60 LTR

BIO MEDICAL WASTE SEGREGATION TROLLEY



HS
182



HS
183

BIO MEDICAL WASTE SEGREGATION TROLLEY



HS 184

Waste Segregation Trolley With S S Bins
2 bins



HS 185

Waste Segregation Trolley With S S Bins
3 bins



HS 186

Waste Segregation Trolley With S S Bins
3 bins

BIO MEDICAL WASTE COLLECTION TROLLEY



HS 187

- Dimesions : L49.5" x W 22" x H 28"
- Four compartment waste segration system
- Mild steel trolley on wheels
- Two stainless steel handle for easy moving



HS 188

- Dimension : L 60" x w 22" x H 28"
- Four compartment waste segration system
- Mild steel trolley on wheels
- Two stainless steel handle for easy moving

BIO MEDICAL WASTE COLLECTION TROLLEY



HS 189

- Dimesions : L 49.5" x W 22" x H 28"
- Four compartment waste segration system
- Stainless steel trolley on wheels
- Two stainless steel handle for easy moving



HS 190

- Dimesions : L 49.5" x W 22" x H 28"
- Four compartment waste segration system
- Stainless steel trolley on wheels
- Two stainless steel handle for easy moving

PUNCTURE PROOF SHARPS CONTAINERS



HS 191

0.8 LTR



HS 192

1 LTR



HS 193

1.2 LTR



HS 194

1.5 LTR



HS 195

3 LTR



HS 196

3.5 LTR

PUNCTURE PROOF SHARPS CONTAINERS



HS 197



6 LTR

HS 198



HS 199

12 LTR



HS 200

NEEDLE CUM SYRINGE HUB DESTROYER



1.2 LTR

HS 201



HS 202

1.5 LTR



3 LTR

HS 203



3.5 LTR


HS 204

BIO MEDICAL WASTE COLLECTION BAGS



HS 205

PATIENT I.D. BANDS



HS 206

MOP WRINGER TROLLEY

APPLICATION: COMMERCIAL AND INDUSTRIAL CLEANING
AUTOMATION GRADE: MANUAL
CAPACITY: 20-36 LITERS (DUAL BUCKETS, APPROX 16-18 L EACH)
COLOR: YELLOW
PRODUCT TYPE: MOP BUCKET TROLLEY
SIZE: STANDARD/MEDIUM

MOP WRINGER TROLLEY SINGLE BUCKET

HS 207





WEIGHT	8.3 KILOGRAMS (KG)
COLOR	RED & YELLOW BUCKETS
SIZE	18LX2
PRODUCT TYPE	MOP WRINGER TROLLEY
MATERIAL	PPCP WITH MS & SS
FUNCTION	MOPPING

MOP WRINGER TROLLEY DOUBLE BUCKET

HS 208

MOP WRINGER TROLLEY



WEIGHT	10 KILOGRAMS (KG)
SIZE	18LX2 & 12L
PRODUCT TYPE	MOP WRINGER TROLLEY
MATERIAL	PPCP
FRAME	M S
APPLICATION	HOSPITAL
FUNCTION	MOPPING

HS 209

MOP WRINGER TROLLEY TRIPLE BUCKET

HS 210

WEIGHT	10 KILOGRAMS (KG)
SIZE	18LX2 & 12L
PRODUCT TYPE	MOP WRINGER TROLLEY
MATERIAL	PPCP
FRAME	S S
APPLICATION	HOSPITAL
FUNCTION	MOPPING



MOP WRINGER TROLLEY TRIPLE BUCKET WITH S S FRAME

MOP WRINGER TROLLEY



WEIGHT	8.3 KILOGRAMS (KG)
COLOR	RED & BLUE BUCKETS
SIZE	18LX2
PRODUCT TYPE	MOP WRINGER TROLLEY
MATERIAL	PPCP WITH MS & SS
FUNCTION	MOPPING

HS 211

MOP WRINGER TROLLEY DOUBLE BUCKET



APPLICATION:	CLEANING
COLOR:	GREY & DARK GREY
FUNCTION:	WALK BEHIND
MATERIAL:	PPCP
PRODUCT TYPE:	WALK BEHIND
SIZE:	920X620X1050MM
WEIGHT:	25 KILOGRAMS (KG)

HS 212

JANITORIAL CART

SAFETY EQUIPMENTS



HS 213

GUM BOOT



HS 214

SAFTY GLOVES



HS 215

CAUTION SIGNS



HS 216

REFLECTIVE JACKETS

HS 217



SAFTY GOGGLES

HOSPITAL FURNITURE :- OTHERS



HS 218

KICK BUCKET



HS 219

WASH BASIN STAND



FOOT STEP SINGLE MILD STEEL

HS 220



HS 221

FOOT STEP DOUBLE MILD STEEL



HS 222

FOOT STEP SINGLE MILD STEEL WITH RUBBER MATT



HS 223

FOOT STEP DOUBLE MILD STEEL WITH RUBBER MATT

HOSPITAL FURNITURE :- OTHERS



HS
224

O.T. FOOT STEP
15"X22"

HS
225



FOOT STEP DOUBLE MILD STEEL WITH ABS TOP



HS
226

FOOT STEP SINGLE MILD STEEL WITH ABS TOP

HOSPITAL FURNITURE :- OTHERS



HS 227

CYCLINDER TROLLEY SMALL



HS 228

CYCLINDER TROLLEY BIG

HOSPITAL FURNITURE :- OTHERS



HS 229

HYDROLIC PATIENT STOOL WITH WHEEL



HS 230

HYDROLIC PATIENT STOOL WITH ADJUSTER



HS 231

HYDROLIC PATIENT STOOL WITH SS TOP



HS 232

REVOLVING PATIENT STOOL MILD STEEL



HS 233

REVOLVING PATIENT STOOL STAINLESS STEEL

HOSPITAL FURNITURE :- OTHERS



BED SIDE SCREEN 3 FOLD

HS 234



BED SIDE SCREEN 4 FOLD

HS 235



WARD STOOL MILD STEEL


HS 236



FOLDING STRETCHER 2 FOLD

HS 237

OPERATING SURGICAL TABLE



HS 238

O.T. TABLE HYDROLIC



HS 239


O.T. TABLE HYDROLIC

OPERATING SURGICAL TABLE



HS 240

C-ARM O.T. TABLE HYDROLIC



HS 241

OPERATING SURGICAL TABLE



HS 242

SEMI ELECTRIC O.T. TABLE SS 304 MAKE



HS 243

ORTHO ATTACHMENT SS 304


OPERATING SURGICAL TABLE



HS 244

4 FUNCTION ELECTRIC O.T. TABLE WITH BATTERY BACKUP SS 304 MAKE WITH COLOUMN REMOTE

- Encentric Pillars
- Stainless steel
- Detachable, head,lrg & pelvic section
- IN built kidney bridge
- Five sectional radio- Translucent
- Base & Cover made of attractive, easy to clean Stainless steel
- Sophisticated mechanics provide smooth,
- step less articulation of the table top for precise patient positioning



HS 245

OPHTHALMIC SURGICAL TABLE

LED SURGICAL O.T. LIGHTS



HS 247

PLUTO 7 O T LIGHT

🔧 Technical Data

- Intensity: 25,000 Lux
- Size of Light Field: 20 cm
- Number of LEDs: 7
- Power Supply: 220V / 50 Hz AC
- Intensity Control: Fixed



HS 248

HEXA 21 LED O T LIGHT

🔧 Technical Data

- Intensity: 50,000 Lux
- Size of Light Field: 20 cm
- Number of LEDs: 21
- Power Supply: 220V / 50 Hz AC
- Intensity Control: Variable

LED SURGICAL O.T. LIGHTS



NOVA 4 SINGLE DOM O.T. LIGHT

HS 249



HS 250

NOVA 4 MOVEMBLE O.T. LIGHT

TECHNICAL DATA

- **Intensity**: 120,000 Lux
- **Size of Light Field**: 15–30 cm
- **Colour Temperature**: 3800–5200 K
- **Colour Reduction Index (CRI)**: 95 RA
- **LED Life**: 50,000 hours
- **Number of LEDs**: 76
- **Special Feature**: Endo mode and memory
- **Power Supply**: 220V / 50 Hz AC
- **Focusing**: Adjustable

Features

- Heat ventilation
- Shadowless light
- LED fins made of high-quality polycarbonate
- Dual colour LEDs (White and Yellow)
- Remote control

LED SURGICAL O.T. LIGHTS



NOVA 4 DOUBLE DOM O.T. LIGHT

HS 251

🌟 Features

- Heat ventilation
- Shadowless light
- LED fins made of high-quality polycarbonate
- Dual colour LEDs (White and Yellow)
- Remote control

➕ Optional / Additional Features

- Battery backup
- 360° rotation



NOVA 5 DOUBLE DOM O.T. LIGHT

HS 252

🌟 Features

- Heat ventilation
- Shadowless light
- LED fins made of high-quality polycarbonate
- Dual colour LEDs (White and Yellow)
- Remote control

Additional / Optional Features

- Battery backup
- 360° rotation

LED SURGICAL O.T. LIGHTS

HS 253



NOVA 5 SINGLE DOM O.T. LIGHT

HS 254



NOVA 5 MOVEMBLE O.T. LIGHT

🔧 Technical Data

- Intensity: 160,000 Lux
- Size of Light Field: 15–30 cm
- Colour Temperature: 3800–5200 K
- Colour Reduction Index (CRI): 95 RA
- LED Life: 50,000 hours
- Number of LEDs: 95
- Special Feature: Endo mode and memory
- Power Supply: 220V / 50 Hz AC
- Focusing: Adjustable

🌟 Features


- Heat ventilation
- Shadowless light
- LED fins made of high-quality polycarbonate
- Dual colour LEDs (White and Yellow)
- Remote control

LED SURGICAL O.T. LIGHTS



HS 255

TRION SINGLE DOM O.T. LIGHT



HS 256

TRION MOVEMBLE O.T. LIGHT

🔧 Technical Data

- **Intensity**: 160,000 Lux
- **Size of Light Field**: 12–30 cm
- Colour Temperature: 3800–5200 K
- **Colour Reduction Index (CRI)**: 95 RA
- **LED Life**: 50,000 hours
- **Number of LEDs**: 48
- **Special Feature**: Endo mode and memory
- **Power Supply**: 220V / 50 Hz AC
- **Focusing**: Adjustable

🌟 Features

- Heat ventilation
- Shadowless light
- Single round-shaped metal head
- Dual colour LEDs (White and Yellow)
- Remote control

LED SURGICAL O.T. LIGHTS



HS 257

TRION DOUBLE DOM O.T. LIGHT

🔧 Technical Data

- **Intensity**: 160,000 + 160,000 Lux
- **Size of Light Field**: 12–30 cm
- **Colour Temperature**: 4000–5000 K
- **Colour Reduction Index (CRI)**: 95 RA
- **LED Life**: >50,000 hours
- **Number of LEDs**: 48 + 48
- **Special Feature**: Endo mode and memory
- **Power Supply**: 220V / 50 Hz AC
- **Focusing**: Adjustable

HS 258

TRION MOVEMBLE O.T. LIGHT

🌟 Features

- Heat ventilation
- Shadowless light
- Single round-shaped metal head
- Dual colour LEDs (White and Yellow)
- Remote control

➕ Optional Feature

- 360° rotation

LED SURGICAL O.T. LIGHTS



HEXA 4 SINGLE DOM O.T. LIGHT

HS 259

🔧 Technical Data

- **Intensity**: 120,000 Lux
- **Size of Light Field**: 15–30 cm
- **Colour Temperature**: 3800–5200 K
- **Colour Reduction Index (CRI)**: 95 RA
- **LED Life**: 50,000 hours
- **Number of LEDs**: 76
- **Special Feature**: Endo mode and memory
- **Power Supply**: 220V / 50 Hz AC
- **Focusing**: Adjustable



HEXA 4 MOVEMBLE O.T. LIGHT

HS 260

🌟 Features

- Heat ventilation
- Shadowless light
- LED fins made of high-quality polycarbonate
- Dual colour LEDs (White and Yellow)
- Remote control

LED SURGICAL O.T. LIGHTS



HEXA 4 DOUBLE DOM O.T. LIGHT

HS 261

🌟 Features

- Heat ventilation
- Shadowless light
- LED fins made of high-quality polycarbonate
- Dual colour LEDs (White and Yellow)
- Remote control

➕ Optional / Additional Features

- Battery backup
- 360° rotation



NOVA 6 SINGLE DOM O.T. LIGHT

HS 262

🌟 Features

- Heat ventilation
- Shadowless light
- LED fins made of high-quality polycarbonate
- Dual colour LEDs (White and Yellow)
- Remote control

HOSPITAL MANUAL FIX WHEEL CHAIR

HS
263



FIX WHEEL CHAIR WITH 12" PU WHEEL



HS
264

FIX WHEEL CHAIR WITH 14" RUBBER WHEEL

AVAILABLE IN

HOSPITAL MANUAL FIX WHEEL CHAIR

HS
267



FIX WHEEL CHAIR WITH 14"
RUBBER WHEEL FRONT 6"
HEAVY DUTY WHEEL



HS
268

FIX WHEEL CHAIR STAINLESS
STEEL WITH 14" RUBBER WHEEL



HS
269

FIX WHEEL CHAIR WITH
PU WHEELS

HOSPITAL MANUAL FOLDABLE WHEEL CHAIR



HS 270

MHL 1001



HS 271

MHL 1009



HS 272

MHL 1002 C



HS 273

MHL 1002 R

HOSPITAL WHEEL CHAIR (ELECTRIC)



HS 274

MHL 1007

⚙️ Technical Specifications

- **Propulsion System**: Motorized
- **Motor Rating**: 250 Watts
- **Battery**: Lead Acid (24V/12AH) / Lithium Ion (LFP 25.9V 12AH)
- **Maximum Speed**: 6 km/hr
- **Frame**: Strong MS frame
- **Upholstery**: Canvas with cushion, antimicrobial & fire-retardant
- **Weight Capacity**: Up to 100 kg
- **Net Weight**: 43.75 kg (Lead Acid) / 38.58 kg (Lithium)

MHL 1007-A

⚙️ Technical Specifications

- **Propulsion System**: Battery operated
- **Motor Rating**: DC 250 Watt × 2 pcs
- **Battery**: LA battery 12V 14AHr × 2 pcs
- **Maximum Speed**: 6 km/hr
- **Frame**: Strong MS frame
- **Upholstery**: Detachable soft sandwich mesh fabric cushion, double layer
- **Weight Capacity**: Up to 100 kg
- **Net Weight**: 31.2 kg



HS 275

HOSPITAL WHEEL CHAIR (ELECTRIC)



⚙️ Technical Specifications

- **Propulsion System**: Powered / Electric
- **Motor Rating**: 250 Watts
- **Battery**: 12 Ah
- **Frame**: Steel
- **Upholstery**: Oxford and mesh cloth
- **Weight Capacity**: Up to 120 kg
- **Net Weight**: 45 kg

MHL 1007-R

HS 276



MHL 1007-S

⚙️ Technical Specifications

- **Propulsion System**: Battery operated
- **Motor Rating**: DC 250 Watt × 2 pcs
- **Battery**: SLA Battery 24V 12Ah
- **Range**: 10–15 km on a single charge
- **Maximum Speed**: 6 km/hr
- **Frame**: Strong MS frame
- **Upholstery**: Detachable soft sandwich mesh fabric cushion, double layer
- **Weight Capacity**: Up to 110 kg
- **Net Weight**: 38.63 kg

HS 277

HYPODROP



HS 278

Liquid Waste Pre-Treatment System

40 LTR without Shink

- **Dimensions** : l 25" X W 18" x H 22"
- Manual Liquid waste system at the point of its generation.
- Water tank capacity 40 Ltr. and Hypo Tank Capacity 18 Ltr.
- Liquid waste gets collected directly into waste treatment unit having level indicator to avoid overfilling
- level indicators for waste, water and sodiam hypo cloride
- Manual Draining of treated waste to sewage line.
- Treats waste as per the pollution control board guidelines
- the machine treats the liquid waste 40 Ltr.

Liquid Waste Pre-Treatment System with Washing Bay

65 LTR with shink

- **Dimensions** : L29" x W 22" x H 36"
- Manual Liquid wastetreatment waste system at the point of its generation
- Water tank capacity 65 ltr. and Hypo Tank capacity 18 ltr.
- The equioment has washing bay
- Liquid waste gets collected directly into waste treatment unit having level indicator to avoid filling
- level indicators for waste, water and sodium hypo cloride
- Manual draining of treated waste to sewage line.
- Treats waste as per the pollution control board guidelines.
- The machine treats the liquid waste 65 Ltr.



HS 279

HYPODROP



LIQUID WASTE PRE-TREATMENT SYSTEM WITH FOOT OPRATED SCRUB SINK

65 LTR WITH SHINK

HS 280

O.T. EQUIPMENTS



HS 281

3 CHANNEL



6 CHANNEL

HS 282



HS 283

12 CHANNEL



HS 284

INFUSION PUMP



HS 285

SYRINGE PUMP



BIPHASIC DEFIBRILLATOR


HS 286

O.T. EQUIPMENTS



HS 287

BPL FETAL DOPPLER 9713 N



HS 288

Evox Electric Oxygen Concentrator, 5 LPM




HS 289

Evox Electric Oxygen Concentrator, 10 LPM



HS 290

O.T. EQUIPMENTS



HS 291

PADDLE SUCTION



HS 292

ELECTRIC SUCTION0.25 BHP & 0.5 BHP



HS 293

PORTABLE SUCTION MACHINE



HS 294

OT SUCTION TROLLEY

O.T. EQUIPMENTS



HS 295

Fiber Optic Laryngoscope



HS 296

Video Laryngoscope



HS 297

Laryngoscope Bulbs



HS 299

LED Laryngoscope



HS 298

AMBU BAG

O.T. EQUIPMENTS



X-RAY VIEW BOX SINGLE

HS 300



X-RAY VIEW BOX DOUBLE

HS 301



PREMIUM X-RAY VIEW BOX

HS 302

O.T. EQUIPMENTS



HS 303

FORMALIN CHAMBER



FUMIGATOR AERSOL DISINFECTOR

HS 304



FOGGER MACHINE 5 LTR

HS 305



CAUTERY MACHINE AX 400

HS 306

O.T. EQUIPMENTS



ALAN CAUTERY MACHINE E-LITE

HS 307



ALAN CAUTERY MACHINE COMBI MAX SERIES

HS 308

O.T. EQUIPMENTS



CIDEX TRAY STAINLESS STEEL

HS 309



CIDEX TRAY PLASTIC

HS 310

O.T. EQUIPMENTS



HS 311

DRESSING DRUM SEAMLESS



HS 312

AUTOCLVE SINGLE DRUM



HS 313

AUTO CLAVE TAPE



HS 314

AUTOCLVE DOUBLE DRUM 16X24WITH AUTOCUT

O.T. EQUIPMENTS



- WORKING PRESSURE UP TO 1.36 KG/CM2 (20P.S.I.G), VACCUM UP TO 250 MM (10") HG.
- CONSTRUCTION S.S. 316 OR S. S. 304 CHAMBER AND JACKET OF BOILER GRADE STEEL WITH RIENFORCEMENTS.
- OPTICAL DOOR INNERCONSTRUCTION EITHER S.S. 304 OR M.S. LINED S.S.
- REDIAL LOCKING SYSTEM, SLIDING DOOR WITH LONGUE & GROOVE SYSTEM FOR BIG SIZE MODELS. FITTED WITH SILICON GASKET.
- MULTIPORTVALUE OPERATION AVAILABE.
- LARGE CAPACITY UNITS WITH DIRECT STEAM OPERATION HAVE DIAPHGRAM TYPE PRV, SMALL CAPACITY UNITS WITH GENERATOR WITH PRESSURE SWITCH WITH LOW WATER CUT OFF SYSTEM.
- AVAILABLE WITH DOUBLR DOOR SYSTEM.
- OPTIONAL ACCESSORIES LOW WATER + MECHANICAL TIMER + FULLY AUTOMATIC MICROPROCCSSOR - PRE & POST VACCUUM

STEAM STERILIZER / ETO STERILIZER

HS 315

HORIZONTAL
16 X 36 INCH

HOSPITAL :- ANAESTHESIA

- TEC VAPORIZER FOR ISOFLURANCE / SEVOFLURANE
- CLOSE CIRCUIT CIRCLE ABSORBER
- ANAESTHESIA VENTILATOR

HS 336

ANAESTHESIA WORKSTATION



HOSPITAL :- PATIENT MONITORS

- **Pulse Oximeter with NIBP**
- **NIBP**: Oscillometry, 25–260 mmHg, ±5 mmHg, Manual/Auto/Continuous
- **SpO_2**: 0–100%, ±2% (70–100%), alarms 0–100%
- **Pulse Rate**: 10–270 bpm, ±2 bpm
- **Display**: 2.8" TFT LCD + LED
- **Memory**: 2000 NIBP groups, 48h SpO_2
- **Alarms**: Visual & audio, adjustable
- **Power**: Rechargeable Li-Polymer
- **Size/Weight**: 190×160×244 mm, 1.5 kg



HS 316

CMS 5100
3 PARA MONITOR
PULSE OXIMETER WITH NIBP




- **CMS-7000**
- **12.1**” TFT LCD, 8 waveforms, portable design
- **Respiration**: 0–120 rpm (adult), 0–150 rpm (neonate), apnea alarm
- **Temperature**: Dual channel, 0–50 °C
- **IBP**: 2 channels, sites ART/PA/CVP etc., alarm – 10~300 mmHg
- **NIBP**: Oscillometry, manual/auto/STAT, 10–270 mmHg, ±5 mmHg accuracy

HS 317

CMS 7000
5 PARA MULTI PARAMETER PATIENT MONITOR

HOSPITAL :- PATIENT MONITORS



- **CMS-8000**
- **ECG**: 5/12-lead, gain ×0.25–×2, sweep 12.5/25/50 mm/s
- **Heart rate**: Adult 15–300 bpm, Neonate 15–350 bpm
- **S-T** detection, arrhythmia analysis
- **Modes**: Diagnostic, Monitor, Surgery
- **Alarms**: Audible/visual, recallable

CMS 8000
5 PARA MULTI PARAMETER PATIENT MONITOR

HS 318

HS 319

- **CMS-9000**
- **SpO_2**: 0–100%, ±2% accuracy (70–100%)
- **Trend storage**: 96 hrs, 500 NIBP memory
- **Safety**: Non-return valve, hypoxic guard, O_2 failure alarm
- **Accessories**: Shelf, trays, Bain's circuit
- **Structure**: Stainless steel, 2 cylinders, mobile, 60 PSI ventilator outlet



CMS 9000
5 PARA MULTI PARAMETER PATIENT MONITOR

HOSPITAL :- PATIENT MONITORS



YONKER 8000 C
5 PARA MULTI PARAMETER PATIENT MONITOR

HS 320

- 12.1" TFT LCD, portable design
- Touch screen, waveform freeze, S-T analysis, pacemaker detection
- 3-level alarms, defibrillator/HF knife resistant
- Lithium battery, large memory (NIBP, ECG, alarms, trends)
- Central monitoring (ICU/CCU/OR)
- **Standard**: SpO_2, PR/HR, NIBP, ECG, RESP, 2-TEMP
- **Optional**: $ETCO_2$, 2-IBP, Nellcor SpO_2, Thermal Printer, Touch Screen

- Portable 12.1" TFT LCD patient monitor
- Touch operation with waveform freeze, S-T analysis & pacemaker detection
- Multi-level alarms, interference-resistant design
- Rechargeable lithium battery with extended data storage (NIBP, ECG, alarms, trends)
- Central monitoring support for ICU/CCU/OR
- **Includes**: SpO_2, PR/HR, NIBP, ECG, RESP, 2-TEMP
- **Options**: $ETCO_2$, 2-IBP, Nellcor SpO_2, Thermal Printer, Touch Screen



YONKER 8000 B
5 PARA MULTI PARAMETER PATIENT MONITOR

HS 321

HOSPITAL :- VISITOR CHAIRS

ONE SEATER

L 635 x W 710 x H 775 MM

HS 322






TWO SEATER

L 1180 x W 710 x H 775 MM

HS 323



THREE SEATER WITH MATTRESS


HS 324

HOSPITAL :- VISITOR CHAIRS



THREE SEATER
L 1765 x W 710 x H 775 MM

HS 325



L 2325 x W 710 x H 775 MM

HS 326

HOSPITAL :- BABY WARMER



HS
327

SIMPLE RADIANT HEAT WARMER SINGLE SENSOR



HS
328

HOSPITAL :- BABY WARMER

HS 329



- **MATTRESS** PRESSURE PU FORM
- **UPGAR TIME** (OPTIONAL)
- **IV STAND** TELESCOPIC STAINLESS STEEL
- **TEMP. PROBE** PT 100
- **BABY BED** TRAY MADE OF STAINLESS STEEL
- **HEATER CUTOFF** METHOD 0 TO 100% IN 10% IN EACH INTERVAL
- **WHEEL** 10 MM PU SOLEWITH 2 BREAK 2 PLAIN

RADIANT HEAT WARMER SKIN/MANUAL



HS 330

HOSPITAL :- LED PHOTOTHERAPY

HS 331

- 10 LED Blue with high power lens
- Complete stainless steel stand
- Baby Basinet with drop - down sides
- 50mm high quality wheels
- LCD Display shows the treatment time of the baby
- LCD Display shows total life of LED also



DOUBLE SURFACE PHOTOTHERAPY WITH DUAL TIME TOTALISER



HS 332


Heater	: Ceramic / quartz 600 w.
Skin temp setting range	: 32 to 37 C
Air Temp. setting range	: 28 to 40 C
Display setting range Alarm	: 28 to 40 C

Power fail	audio / visual
Temp. high	audio / visual
Temp. low	audio / visual
Heater fail	audio / visual (optional)
Sensor fail	audio / visual
Mattress	Pressure PU foam
Upgar Timer	(Optional)
IV Stand	Telescopic stainless steel
Temp. Prob	PT 100

Baby bed Tray made of stainless steel Heater cutoff method 0 to 100% in 10% each. bar Wheel. 100mm PU sole with 2 brake 2 plain

MICRO PROCESSOR BASED SKIN & AIR SERVO CONTROL OF TEMPERATURE

HOSPITAL :- LED PHOTOTHERAPY



- 10 LED Blue with high power lens
- Complete stainless steel stand
- Baby Basinet with drop - down sides
- 50mm high quality wheel

HS 333

SINGLE SURFACE PHOTOTHERAPY (PLAIN)



- 10 LED BLUE WITH HIGH POWER LENS IN UPPER & LOWER UNIT
- COMPLETE STAINLESS STEEL STAND
- BABY BASINET WITH DROP - DOWN SIDES
- 50MM HIGH QUALITY WHEEL

HS 334

DOUBLE SURFACE PHOTOTHERAPY (PLAIN)

HOSPITAL :- BABY TROLLEY

HS
335





BABY TROLLEY

HOSPITAL :- ANAESTHESIA

- • Emergency drug tray (bins) fitted at convenient position
- • Instrument tray made of stainless steel
- • Emergency Oxygen unit with fresh gas out let at convenient position
- • One open circuit (Bain's circuit)
- • Provision to attach four cylinders available in both models. While MVA12 has provision for two additional medium size cylinders at the rear end, the BM has additional yokes (one each) for both oxygen and nitrous
- • Table structure constructed from sturdy square stainless steel/m.s. and electrostatically powder coated
- • The equipment is fitted with spacious drawner on four antistatic castor wheels for easy mobility

HS 337





- **Gas Flow**: 2–3 gas rotameters (O_2, N_2O, Air) with safety interlocks.
- **Vaporizers**: Standard halothane, space for 3.
- **Safety**: Non-return valve, nitrous lock, hypoxic guard, oxygen failure alarm.
- **Controls**: Pressure gauges, regulators, oxygen flush, change-over unit.
- **Accessories**: Monitor shelf, drug tray, instrument tray, Bain’s circuit.
- **Structure**: Stainless steel frame, space for 2 cylinders, mobile design.
- **Extra**: 60 PSI outlet for ventilator.

ANAESTHESIA MACHINE S S

HS 338

HOSPITAL :- LAUNDRY EQUIPMENTS

WASHING MACHINE SIDE LOADING

HS 339



- ELECTRIC OR STEAM HEATED
- SIDE LOADING, OPEN POCKET, SINGLE & DOUBLE DOOR IDEAL FOR LARGER LAUNDRIES
- PERMORMS ALL TYPES OF WASH WITH SOAP, DETERGENT, BLEACHING, ACID, STONE OR ANY CHEMICAL WASH INCLUDINGDYING



HYDRO EXTRACTOR

HS 340

- DIRECT DRIVE WITH DC INJECTION BRAKE
- SELF BALANCING
- INNER BASKET AND OUTER DRUM- ALL HIGHLY POLISHED
- STAINLESS STEEL
- SILENT, VIBRATION LESS OPERATION
- AUTO TIMED, AUTO STOP

WASHER EXTRACTOR/DRYING TUMBLER MACHINE

HS 341



- COMPACT DESIGN FOR SPACE SAVING
- HEAVY DUTY HARD MOUNT STRUCTURE
- FREQUENCY INVERTER DRIVE UP TO 200G
- PATENTED SAFETY DOOR INTERLOCK SYSTEM

HEAVY DUTY INDUSTRIAL STORAGE RACKS







HS
342

HEAVY DUTY INDUSTRIAL STORAGE RACKS



MEDICAL EXPO
(JALANDHAR)



MEDICAL EXPO
(CHANDIGARH)



MEDICAL EXPO
(CHANDIGARH)



MEDICAL EXPO
(INDORE)



MEDICALL
(CHENNAI)



MEDICALL
(CHENNAI)

WE SPECIALIZE IN PROVIDING QUALITY

- Biomedical Waste Management Product
- Hospital Furniture
- Surgical Instruments
- OT Tables
- OT Lights


MANAGEMENT SYSTEM CERTIFICATE

VERIFIED

This is to certify that

H S MEDI WORLD

has been assessed by RAPL and found to comply with the requirements of

ISO 9001 : 2015
Quality Management Systems

For the following activities:
MANUFACTURING & TRADING OF BIO MEDICAL WASTE DUSTBINS AND HOSPITAL FURNITURE.

Certificate Number: E20250117278
Date of certification: 22/01/2025
1st Surveillance on or before: 21/01/2026
IInd Surveillance on or before: 21/01/2027
Certification Valid Until: 21/01/2028

IAF
EGAC Accredited

Director (Certification)
Royal Assessments Pvt. Ltd.


(Amended)

Government of India
Form GST REG-06
[See Rule 19(1)]

Registration Certificate

Registration Number: 03BKBJP5869G1ZC

1.	Legal Name	PARVINDER SINGH			
2.	Trade Name, if any	H S MEDI WORLD			
3.	Additional trade names, if any				
4.	Constitution of Business	Proprietorship			
5.	Address of Principal Place of Business	B-34/361(1B)ST NO-3, H.S. MEDI WORLD, PRITAM NAGAR, B/S MAHI FARM, CIVIL LINES, Ludhiana, Punjab, 141001			
6.	Date of Liability	01/07/2017			
7.	Date of Validity	From	01/07/2017	To	Not Applicable
8.	Type of Registration	Regular			
9.	Particulars of Approving	Punjab Goods and Services Tax Act, 2017			
	Signature	Signature Not Verified			
	Name	Sunil Kumar			
	Designation	Excise And Taxation Officer-cum- State Tax Officer			
	Jurisdictional Office	Ludhiana 3 - Ward No.45			
	Date of issue of Certificate	16/06/2023			

Note: The registration certificate is required to be prominently displayed at all places of Business/Office(s) in the State.

This is a system generated digitally signed Registration Certificate issued based on the approval of application granted on 16/06/2023 by the jurisdictional authority.

HS MEDI WORLD

SHOWROOM : B-25, H. NO. 59/2, PIRU BANDA, SALEM TABRI, ST. NO. 3, LUDHIANA 141008

Factory: HS MEDIWORLD, B-34/361/1B, Inder Vihar, Main Road, Chandar Nagar, Opp. Mahi Motors, Ludhiana-141001, Punjab, India

Mobile: +91 9829313731, +91 8699207731, +91 8146193543

Email: hsmediworld@gmail.com, sales.hsmediworld@gmail.com

Website: www.hsmediworld.in, www.hsmediworld.co.in